DRICONEQ
A Mincon Group Company

DRICONEQ™ DRILLING ACCESSORIES

With quality and service in focus | **www.driconeq.com**

Contents

DIBH™ Adapters 2–3
BOX/PIN Adapters 4–15
BOX/BOX Adapters 16–18
PIN/PIN Adapters 19–21
Sandvik TITON/DI Adapters 22–24
Nordmeyer Adapters 25
Retrac Adapters 26
Drive Subs 27
Guide Sleeves 28–30
Spiral Guide Sleeves 31
Hard Face Guide Rods 32
Wear Sleeves with Guiding 33
Chucks 34
String Stabilizer 35
Bottom Hole Stabilizer 36
Roller Stabilizer 37
Non Return Valves (NRV) 38–41
Aerzorber® 42
Casing Shoes 43
Wrenches 44
Guide Device 44
Lifting Bails and Hoist Plugs 45–46
Tool Shanks 47
Fishing Tools 48–50
Lifting Slings 51
Deck Bushings 52
Bit Baskets/Break out Plates 53
Hydraulic Packer 54–56
SW Pipes and Accessories for Packers 57
DRICOPRO™ Thread Grease 57

WANT MORE OUT OF YOUR DRILL STRING?

One very important part of the drill string drillers don't talk about is the wear sub. Changing your wear sub regularly will dramatically increase the life of your drill string. Driconeq™ use state of the art heat treatment and high quality alloy materials in the manufacture of our wear subs, ensuring the maximum life for your drill string.

DIBH™

Adapters



Thread Box (A)	Thread Pin (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
DIBH 3 1/2	DIBH 3 1/2	150	125	125	43	95	50	25	11-3125
DIBH 3 1/2	3 1/2" Reg	254	114	114	43				11-3454
DIBH 3 1/8	DIBH 3 1/8	260	127	102	43	89	60	75	11-2674
DIBH 3 1/8	3 1/2" Reg	220	114	114	43	95	50	30	11-3622
DIBH 3 1/8	4 1/2 Reg	310	102	164	58	150	52	18	11-2591
DIBH 3 1/8	5 1/2 Reg	65	164	164	59	150	50	15	11-2519
DIBH 4 1/8	DIBH 4 1/8	254	140	140	53	114	50	25	11-3520
DIBH 4 1/8	4 IF P	254	140	140	58	114	50	25	11-3523
3 1/2 Reg	3 1/8 DIBH	220	114	114	43	95	50	30	11-3621
3 1/2 Reg	3 1/8 DIBH	225	114	114	43	81	60	40	11-3623
3 1/2 Reg	3 1/8 DIBH	260	114	114	43	89	60	75	11-2700
3 1/2 Reg	3 1/8 DIBH	260	127	127	43	89	60	75	11-2675
3 1/2 Reg	4 1/8 DIBH	225	140	140	53	114	60	40	11-3521
4 1/2 REG	4 1/8 DIBH	225	140	140	53	114	60	40	11-3522

We also have other dimensions, threads and lengths. Please contact us for more info.

DIBH™

Adapters



Thread Box (A)	Thread Box (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
DIBH 3 1/8	DIBH 3 1/8	220	127	127	58				11-2523



Thread Pin (A)	Thread Pin (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
DIBH 3 1/2	5 1/2 Cubex	285	127	163,5	43	149,5 hex	50	15	11-2521

We also have other dimensions, threads and lengths. Please contact us for more info.

BOX/PIN

Adapters



Thread Box (A)	Thread Pin (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
NWY	NWY	140	70	70	30	55	40	15	11-1565
NWY	RD50-6	175	70	70	30	55	40	15	11-1001
NWY	2 3/8" Reg	144	76	76	30	65	40	15	11-1002
NWY	2 3/8" IF	144	89	89	43	65	40	15	11-1494
NWY	2 7/8" Reg	144	89	89	34	65	40	15	11-1445
NWY	3 1/2" Reg	135	70	115	43	95	50	15	11-1003
AWJ	2 3/8" Reg	145	89	89	25	65	40	20	11-1600
AWJ	2 7/8" IF	440	114	114	25	95	50	305	11-1334
#28	3 1/2" IF	175	114	114	58	95	50	15	11-1049
CR60	CR60	300	61	61	22	41	50	210	11-1619
GG 2"	Haus	140	76	76	25	65	40	20	11-1636
GG 2"	2 3/8" Reg	150	89	89	30	65	40	20	11-1635
Hausherr	GG2"	140	76	76	25	65	40	20	11-1637
Hausherr	2 3/8" Reg	140	76	76	30				11-1351
NC 35	NC 35	165	114	114	58	95	50	20	11-1073
NC 35	2 7/8" Reg	165	114	114	36	95	50	20	11-1070
NC 35	2 7/8" IF	165	114	114	53	95	50	20	11-1071

We also have other dimensions, threads and lengths. Please contact us for more info.

BOX/PIN

Adapters

Thread Box (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
NC 35	3 1/2" Reg	165	114	114	43	95	50	20	11-1072
NC 35	3 1/2" IF	165	114	114	58	95	50	20	11-1074
NC 35	4 1/2" Reg	140	114	146	58	120	50	20	11-1075
NC 35	4 1/2" FH	140	114	146	76	120	50	20	11-1076
NC 35	6 5/8" Reg	173	146	197	80	178	50	20	11-1077
2" Z	Beco 3"	100	82	102	38	67	76	24	11-1528
2" Z	2 3/8" Reg	106	74	79	30	66	75	31	11-1527
2" Z	3 1/2" Reg	100	82	102	38	67	76	24	11-1551
2" Z	3 1/2" Reg	165	76	115	38	65	40	65	11-1272
2 1/4" Z	2 3/8" Reg	140	89	89	30	65	40	20	11-1406
2 1/2" Z	3 1/2" Reg	100	96	102	43	85	76	24	11-1393
RD 40-6	2 3/8" Reg	135	76	76	30	65	40	27	11-1443
RD 50-6	RD 50-6	114	70	70	30	55	40	15	11-1004
RD 50-6	RD 50-6	155	70	70	30	55	40	15	11-1006
RD 50-6	RD 50-6	350	70	70	30	55	40	15	11-1474
RD 50-6	2 3/8" Reg	135	76	76	30	65	40	27	11-1005
RD 70-4	RD 50-6	155	89	89	30	65	40	20	11-1007
RD 70-4	RD 70-4	155	89	89	43	65	40	20	11-1008
RD 70-4	RD 70-4	460	89	89	43	65	40	20	11-1009
RD 70-4	RD 70-4	700	89	89	43	65	40	576	11-1576
RD 70-4	2 3/8" Reg	139	89	89	30	65	40	15	11-1010
RD 70-4	2 3/8" Reg	152	89	89	30	65	40	28	11-1550
RD 70-4	2 3/8" IF	144	89	89	43	65	40	15	11-1011
RD 70-4	3 1/2" Reg	155	114	114	43	95	50	20	11-1012
2 3/8" Reg	NWY	145	86	76	30	65	40	20	11-1014

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Box (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
2 3/8" Reg	AWJ	145	76	76	13	65	40	20	11-1599
2 3/8" Reg	Beco 3"	101	90	102	38	76	76	25	11-1489
2 3/8" Reg	GG 2"	140	89	89	25	65	40	17	11-1634
2 3/8" Reg	Haus	470	76	76	25				11-1350
2 3/8" Reg	HS-6	154	89	89	38	65	50	21	11-1235
2 3/8" Reg	HW	150	89	89	43	65	40	20	11-1617
2 3/8" Reg	NW	150	76	67	30	65	40	22	11-1372
2 3/8" Reg	RD 40-6	145	76	76	22	65	40	27	11-1346
2 3/8" Reg	RD 50-6	145	76	76	30	65	40	27	11-1015
2 3/8" Reg	RD 56-6	125	76	76	30				11-1461
2 3/8" Reg	RD 70-4	145	89	89	43	65	40	15	11-1016
2 3/8" Reg	RD 70-4	250	89	89	43	65	40	15	11-1247
2 3/8" Reg	RD 70-4	340	89	89	43	65	40	215	11-1592
2 3/8" Reg	RD 70-4	350	89	89	43	65	40	25	11-1473
2 3/8" Reg	RD 70-4	440	89	89	43	65	40	315	11-1017
2 3/8" Reg	RD 70-4	440	89	89	43	65	40	140	11-1422
2 3/8" Reg	RD 70-4	460	89	89	43	65	40	335	11-1495
2 3/8" Reg	RD 70-4	500	89	89	43	65	40	375	11-1611
2 3/8" Reg	RD 70-4	500	89	89	43	65	40	30	11-1605
2 3/8" Reg	RD 70-4	550	89	89	43	65	40	15	11-1321
2 3/8" Reg	RD 70-4	600	89	89	43	65	40	470	11-1459
2 3/8" Reg	RD 70-4	600	89	89	43	65	40	15	11-1230
2 3/8" Reg	RD 70-4	320	100	100	43				11-1394
2 3/8" Reg	RD 70-4	440	102	102	43	65	40	315	11-1590
2 3/8" Reg	2" Z	140	76	76	25	65	40	17	11-1561
2 3/8" Reg	2 1/4" Z	140	89	89	25	65	40	25	11-1226
2 3/8" Reg	2 1/2" Z	140	89	89	30	65	40	25	11-1027
2 3/8" Reg	2 3/8" Reg	140	76	76	30	65	40	17	11-3385
2 3/8" Reg	2 3/8" Reg	140	76	76	30				11-3430
2 3/8" Reg	2 3/8" Reg	203	89	76	30	65	40	27	11-1389

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Box (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
2 3/8" Reg	2 3/8" Reg	225	76	76	34	65	40	15	11-3290
2 3/8" Reg	2 3/8" Reg	300	76	76	30	65	40	17	11-1303
2 3/8" Reg	2 3/8" Reg	305	76	76	30				11-1579
2 3/8" Reg	2 3/8" Reg	400	76	76	30	65	40	17	11-1225
2 3/8" Reg	2 3/8" Reg	410	76	76	30	65	40	285	11-1568
2 3/8" Reg	2 3/8" Reg	435	76	76	30	65	40	310	11-1577
2 3/8" Reg	2 3/8" Reg	460	76	76	30	65	40	335	11-1569
2 3/8" Reg	2 3/8" Reg	460	76	76	30				11-1571
2 3/8" Reg	2 3/8" Reg	500	76	76	30	65	40	20	11-1431
2 3/8" Reg	2 3/8" Reg	550	76	76	30	65	40	425	11-1549
2 3/8" Reg	2 3/8" Reg	609	76	76	30	57	102	387	11-1292
2 3/8" Reg	2 3/8" Reg	140	80	80	30	65	40	17	11-1572
2 3/8" Reg	2 3/8" Reg	420	80	83	30	70	50	250	11-1644
2 3/8" Reg	2 3/8" Reg	100	89	89	30				11-1253
2 3/8" Reg	2 3/8" Reg	140	89	89	30	65	40	17	11-3211
2 3/8" Reg	2 3/8" Reg	140	89	89	30				11-3767
2 3/8" Reg	2 3/8" Reg	152	89	89	30	70	50	17	11-1466
2 3/8" Reg	2 3/8" Reg	170	89	89	30	65	40	17	11-1496
2 3/8" Reg	2 3/8" Reg	200	89	89	30	65	40	75	11-1573
2 3/8" Reg	2 3/8" Reg	203	89	89	30	65	40	25	11-1355
2 3/8" Reg	2 3/8" Reg	225	89	89	30				11-1374
2 3/8" Reg	2 3/8" Reg	225	89	89	30	65	40	75	11-1263
2 3/8" Reg	2 3/8" Reg	250	89	89	30	65	40	100	11-1261
2 3/8" Reg	2 3/8" Reg	250	89	89	30	65	40	115	11-1359
2 3/8" Reg	2 3/8" Reg	270	89	89	30	65	40	15	11-1285
2 3/8" Reg	2 3/8" Reg	270	89	89	30	65	40	17	11-1022
2 3/8" Reg	2 3/8" Reg	305	89	89	30				11-1202
2 3/8" Reg	2 3/8" Reg	320	89	89	30	65	40	195	11-1641
2 3/8" Reg	2 3/8" Reg	360	89	89	30	65	40	235	11-1425
2 3/8" Reg	2 3/8" Reg	400	89	89	30	65	40	17	11-1234

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Box (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
2 3/8" Reg	2 3/8" Reg	420	89	89	30	70	50	250	11-1555
2 3/8" Reg	2 3/8" Reg	440	89	89	30	65	40	315	11-1284
2 3/8" Reg	2 3/8" Reg	440	89	89	30	65	40	17	11-1347
2 3/8" Reg	2 3/8" Reg	450	89	89	30	65	40	27	11-1183
2 3/8" Reg	2 3/8" Reg	450	89	89	30				11-1184
2 3/8" Reg	2 3/8" Reg	500	89	89	30	65	40	17	11-1275
2 3/8" Reg	2 3/8" Reg	525	89	89	30	65	40	400	11-1566
2 3/8" Reg	2 3/8" Reg	550	89	89	30	65	40	425	11-1535
2 3/8" Reg	2 3/8" Reg	550	89	89	30	65	40	30	11-1455
2 3/8" Reg	2 3/8" Reg	580	89	89	30	65	40	460	11-1310
2 3/8" Reg	2 3/8" Reg	580	89	89	30	65	40	17	11-1606
2 3/8" Reg	2 3/8" Reg	580	89	89	30				11-1503
2 3/8" Reg	2 3/8" Reg	600	89	89	30	65	40	475	11-1356
2 3/8" Reg	2 3/8" Reg	600	89	89	30	65	40	17	11-1245
2 3/8" Reg	2 3/8" Reg	140	102	102	30	75	40	20	11-1024
2 3/8" Reg	2 3/8" Reg	300	102	102	30	75	40	20	11-1476
2 3/8" Reg	2 3/8" Reg	300	115	115	30	95	50	20	11-1306
2 3/8" Reg	2 3/8" IF	144	89	89	43	65	40	25	11-1025
2 3/8" Reg	2 3/8" IF	140	102	102	43	75	40	25	11-1026
2 3/8" Reg	2 3/8" IF	180	89	89	43	70	50	30	11-1433
2 3/8" Reg	2 3/8" IF	210	89	89	43	65	40	85	11-1378
2 3/8" Reg	2 3/8" IF	300	89	89	43	65	40	175	11-1436
2 3/8" Reg	2 3/8" IF	300	89	89	43				11-1502
2 3/8" Reg	2 3/8" IF	500	89	89	43	65	40	25	11-1584
2 3/8" Reg	2 3/8" IF	610	89	89	43	65	40	25	11-1287
2 3/8" Reg	2 7/8" Reg	130	89	89	38	75	40	17	11-1029
2 3/8" Reg	2 7/8" Reg	140	89	89	38	65	40	17	11-1028
2 3/8" Reg	2 7/8" IF	120	114	114	43	95	40	25	11-1030
2 3/8" Reg	2 7/8" IF	152	89	114	43	65	40	32	11-1240
2 3/8" Reg	2 7/8" IF	300	89	114	43	65	40	175	11-1608

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Box (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
2 3/8" Reg	2 7/8" IF	350	89	114	43	65	40	232	11-1305
2 3/8" Reg	2 7/8" IF	440	89	114	43	95	50	305	11-1294
2 3/8" Reg	2 7/8" IF	701	89	102	30	57	102	212	11-1291
2 3/8" Reg	3 1/2" Reg	100	97	101,6	43	85	76	24	11-1452
2 3/8" Reg	3 1/2" Reg	120	114	114	43	95	50	25	11-1031
2 3/8" Reg	3 1/2" Reg	305	114	114	43				11-1532
2 3/8" Reg	3 1/2" Reg	370	114	114	43	95	50	275	11-1032
2 3/8" Reg	3 1/2" Reg	550	89	114	43	95	50	10	11-1559
2 3/8" Reg	3 1/2" IF	120	89	114	43	95	50	20	11-1126
2 3/8" Reg	3 1/2" IF	355	89	127	43	63,5	40	215	11-1609
2 3/8" Reg	3 1/2" Z	120	89	114	43	95	50	30	11-1314
2 3/8" Reg	4 1/2" Reg	160	89	140	43	120	50	30	11-1407
2 3/8" Reg	4 1/2" Reg	677	89	140	38	65	50	120	11-1299
2 3/8 MA.JR.	2 7/8" Reg	130	102	102	38	75	50	25	11-1458
2 3/8" IF	NWY	160	89	89	30	65	40	20	11-1493
2 3/8" IF	RD 70-4	160	89	89	43	65	40	20	11-1033
2 3/8" IF	RD 70-4	440	89	89	43	65	40	30	11-1326
2 3/8" IF	2 3/8" Reg	164	89	89	30	65	40	20	11-1034
2 3/8" IF	2 3/8" Reg	225	89	89	43	65	40	20	11-1340
2 3/8" IF	2 3/8" Reg	305	102	102	43				11-1325
2 3/8" IF	2 3/8" IF	170	89	89	43	65	40	20	11-1208
2 3/8" IF	2 3/8" IF	180	89	89	43	70	50	30	11-1432
2 3/8" IF	2 3/8" IF	203	89	89	38	76	50	57	11-1558
2 3/8" IF	2 3/8" IF	300	89	89	43	65	50	20	11-1534
2 3/8" IF	2 3/8" IF	400	89	89	43	65	50	250	11-1329
2 3/8" IF	2 3/8" IF	500	89	89	43	65	50	30	11-1468
2 3/8" IF	2 7/8" Reg	164	89	89	36	65	40	20	11-1604
2 3/8" IF	2 7/8" IF	152	114	114	43	95	50	30	11-1469
2 3/8" IF	3 1/2" Reg	152	114	114	43	95	50	17	11-1603
2 3/8" IF	3 1/2" Reg	160	114	114	43	95	50	20	11-1035

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Box (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
2 3/8" IF	3 1/2" Reg	180	114	114	43	76	50	28	11-1437
2 3/8" IF	3 1/2" Reg	500	114	114	43	95	50	360	11-1632
2 3/8" IF	3 1/2" Reg	609	89	114	38	76	64	451	11-1518
2 3/8" IF	3 1/2" IF	160	114	114	53	95	50	20	11-1507
2 7/8" Reg	2 3/8 MA.JR.	160	102	102	30	75	50	20	11-1457
2 7/8" Reg	2 3/8" Reg	154	89	89	30	65	40	10	11-1036
2 7/8" Reg	2 3/8" IF	154	89	89	43	65	40	25	11-1332
2 7/8" Reg	2 3/8" IF	300	89	89	43	65	40	25	11-1647
2 7/8" Reg	2 7/8" Reg	170	89	89	36	65	40	25	11-1380
2 7/8" Reg	2 7/8" Reg	203	102	102	36	89	50	25	11-1575
2 7/8" Reg	2 7/8" Reg	609	89	89	34	70	50	30	11-1629
2 7/8" Reg	2 7/8" IF	120	114	114	43	95	50	30	11-1282
2 7/8" Reg	2 7/8" IF	150	114	114	43	95	50	25	11-1037
2 7/8" Reg	3 1/2" Reg	150	114	114	43	95	50	30	11-1039
2 7/8" Reg	3 1/2" Reg	305	114	114	43	95	50	30	11-1286
2 7/8" Reg	3 1/2" Reg	305	102	114	43				11-1580
2 7/8" Reg	3 1/2" IF	160	114	114	43	95	50	25	11-1041
2 7/8" Reg	4 1/2" Reg	160	140	14	43	120	50	30	11-1042
2 7/8" IF	2 3/8" Reg	202	114	89	30	65	50	15	11-1043
2 7/8" IF	2 7/8" Reg	160	114	89	36	95	50	15	11-1044
2 7/8" IF	2 7/8" IF	160	114	114	47	95	50	25	11-1423
2 7/8" IF	3 1/2" Reg	160	114	114	43	95	50	25	11-1045
2 7/8" IF	3 1/2" Reg	370	114	114	43	95	50	25	11-1040
2 7/8" IF	3 1/2" IF	160	114	114	58	95	50	20	11-1046
2 7/8" IF	3 1/2" IF	610	114	114	58	95	50	20	11-1047
2 7/8" IF	6 5/8" Reg	175	114	197	80	178	50	20	11-1048
3 1/2" Reg	NWY	155	117	114	30	95	50	30	11-1050
3 1/2" Reg	BQ	159	114	56	30	95	84		11-1388
3 1/2" Reg	#28	140	127	127	36	95	50	15	11-1060
3 1/2" Reg	#28	160	114	114	36	95	50	20	11-1059

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Box (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
3 1/2" Reg	RD 70-4	200	114	89	43	95	50	65	11-1051
3 1/2" Reg	RD 70-4	300	114	89	43	95	50	165	11-1293
3 1/2" Reg	RD 70-4	440	114	89	43	65	40	15	11-1254
3 1/2" Reg	RD 110-4	175	140	140	58	120	50	25	11-1256
3 1/2" Reg	NC 36	160	114	114	58	95	50	25	11-1065
3 1/2" Reg	NC40	150	114	130	58	98	50	25	11-1219
3 1/2" Reg	2" Z	210	114	76	25	65	40	15	11-1271
3 1/2" Reg	2 1/2" Z	261	114	76	30	76	70	51	11-1222
3 1/2" Reg	2 3/8" Reg	120	114	114	30	95	40	15	11-1400
3 1/2" Reg	2 3/8" Reg	160	114	114	30	95	50	25	11-1053
3 1/2" Reg	2 3/8" Reg	175	114	114	30	65	40	15	11-1376
3 1/2" Reg	2 3/8" Reg	220	114	114	30	95	50	75	11-1384
3 1/2" Reg	2 3/8" Reg	240	114	89	30	65	40	35	11-1642
3 1/2" Reg	2 3/8" Reg	300	114	89	30	65	40	15	11-1052
3 1/2" Reg	2 3/8" Reg	500	114	89	30	65	40	15	11-1203
3 1/2" Reg	2 3/8" IF	160	114	114	43	95	40	30	11-1055
3 1/2" Reg	2 3/8" IF	184	114	89	43	95	50	54	11-1054
3 1/2" Reg	2 3/8" IF	368	114	89	38				11-1516
3 1/2" Reg	2 3/8" IF	406	114	89	43	65	40	25	11-1308
3 1/2" Reg	2 7/8" Reg	160	114	114	38	95	50	25	11-1056
3 1/2" Reg	2 7/8" Reg	370	114	114	38	95	50	235	11-1057
3 1/2" Reg	2 7/8" Reg	609	102	102	33	76	50	50	11-1643
3 1/2" Reg	2 7/8" IF	125	114	114	43				11-1497
3 1/2" Reg	2 7/8" IF	160	114	114	53	95	50	25	11-1058
3 1/2" Reg	2 7/8" IF	160	114	114	47				11-1385
3 1/2" Reg	2 7/8" IF	320	114	114	43	95	50	185	11-1492
3 1/2" Reg	2 7/8" IF	410	114	114	53	95	50	10	11-1451
3 1/2" Reg	2 7/8" IF	440	114	114	43	95	50	305	11-1345
3 1/2" Reg	2 7/8" IF	609	114	114	43	90	50	30	11-1428
3 1/2" Reg	3 1/2" Reg	160	114	114	43	95	50	20	11-1061

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Box (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
3 1/2" Reg	3 1/2" Reg	200	114	114	43	95	50	25	11-1552
3 1/2" Reg	3 1/2" Reg	228	114	114	43	89	76	25	11-1352
3 1/2" Reg	3 1/2" Reg	267	114	114	43	89	70	25	11-1597
3 1/2" Reg	3 1/2" Reg	275	114	114	43				11-1062
3 1/2" Reg	3 1/2" Reg	305	114	114	43				11-1578
3 1/2" Reg	3 1/2" Reg	355	114	114	43				11-1460
3 1/2" Reg	3 1/2" Reg	370	114	114	43	95	50	20	11-1063
3 1/2" Reg	3 1/2" Reg	400	114	114	43	95	50	260	11-1620
3 1/2" Reg	3 1/2" Reg	406	114	114	43	76	50	242	11-1354
3 1/2" Reg	3 1/2" Reg	406	114	114	43	95	50	255	11-1612
3 1/2" Reg	3 1/2" Reg	450	114	114	43	95	50	15	11-1462
3 1/2" Reg	3 1/2" Reg	457	114	114	43	89	60	75	11-1475
3 1/2" Reg	3 1/2" Reg	500	114	114	43	95	50	360	11-1357
3 1/2" Reg	3 1/2" Reg	500	140	140	43	120	50	25	11-1560
3 1/2" Reg	3 1/2" Reg	750	114	114	43	95	50	25	11-1244
3 1/2" Reg	3 1/2" Reg	787	114	114	43	89	76	102	11-1336
3 1/2" Reg	3 1/2" Reg	900	114	114	43	95	50	25	11-1201
3 1/2" Reg	3 1/2" IF	160	114	114	58	95	50	25	11-1066
3 1/2" Reg	3 1/2" Beco	250	127	127	38	89	50	50	11-1735
3 1/2" Reg	3 1/2" Beco	609	127	127	38	76	108	64	11-1524
3 1/2" Reg	3 1/2" Beco	609	140	140	38	76	108	64	11-1526
3 1/2" Reg	4" IF	482	114	152	58	95	50	313	11-1610
3 1/2" Reg	4 1/2" Reg	132	114	146	58	120	50	20	11-1067
3 1/2" Reg	4 1/2" FH	160	114	146	76	120	50	20	11-1068
3 1/2" Reg	6 5/8" Reg	175	197	197	58	178	50	30	11-1069
3 1/2" FH	3 1/2" FH	460	140	140	58	120	50	30	11-1182
3 1/2" FH	4 1/2" Reg	140	140	140	58	120	50	25	11-1553
3 1/2" IF	2 3/8" IF	195	120	89	43	65	40	15	11-1297
3 1/2" IF	2 7/8" IF	200	120	114	53	95	50	25	11-1078
3 1/2" IF	3 1/2" Reg	300	120	114	43	95	50	25	11-1079

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Box (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
3 1/2" IF	3 1/2" Reg	254	127	127	43	95	50	79	11-1319
3 1/2" IF	3 1/2" Reg	457	120	120	43	95	50	282	11-1320
3 1/2" IF	3 1/2" IF	200	120	120	58	95	50	25	11-1211
3 1/2" IF	4 1/2" Reg	140	140	140	58	120	50	20	11-1504
3 1/2" IF	6 5/8" Reg	173	197	197	80	178	50	30	11-1080
3 1/2" Beco	3 1/2" Reg	228	114	114	43				11-1523
3 1/2" Beco	3 1/2" Beco	228	127	121	38	95	51	28	11-1621
3 1/2" Beco	5 1/2" Reg	298	171	127	58				11-1514
3 1/2" Beco	5 1/2" Reg	375	171	127	58	89	50	172	11-1515
4" FH	2 7/8" IF	152	140	114	53	120	40	20	11-1315
4 1/2" Reg	NC35	235	146	114	58	95	50	15	11-1229
4 1/2" Reg	2 3/8" Reg	219	146	89	30	65	40	20	11-1081
4 1/2" Reg	2 3/8" IF	219	146	89	43	65	40	15	11-1207
4 1/2" Reg	2 7/8" reg	200	146	89	38	120	50	30	11-1082
4 1/2" Reg	2 7/8" IF	210	146	114	53	95	50	15	11-1083
4 1/2" Reg	2 7/8" IF	600	140	114	43	120	50	445	11-1382
4 1/2" Reg	3 1/2" Reg	235	146	114	43	95	50	15	11-1084
4 1/2" Reg	3 1/2" Reg	305	146	114	43	95	50	15	11-1583
4 1/2" Reg	3 1/2" Reg	420	146	114	43	95	50	25	11-1586
4 1/2" Reg	3 1/2" Reg	500	140	140	43	120	50	25	11-1557
4 1/2" Reg	3 1/2" FH	235	140	114	58	95	50	15	11-1554
4 1/2" Reg	3 1/2" IF	235	146	114	58	95	50	15	11-1454
4 1/2" Reg	3 1/2" Beco	609	140	121	38	76	108	64	11-1525
4 1/2" Reg	4 1/2" Reg	170	146	146	58	120	50	20	11-1591
4 1/2" Reg	4 1/2" Reg	317	140	140	58	120	50	20	11-1233
4 1/2" Reg	4 1/2" Reg	317	168	168	58	120	50	20	11-1383
4 1/2" Reg	4 1/2" IF	200	146	146	80	120	50	25	11-1224
4 1/2" Reg	4 1/2" Beco	889	178	178	58	127	51	76	11-1622
4 1/2" Reg	6 5/8" Reg	180	146	200	58	178	50	35	11-1085
4 1/2" FH	2 7/8" IF	200	146	115	53	120	50	20	11-1086

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Box (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
4 1/2" FH	3 1/2" Reg	200	146	115	43	120	50	20	11-1087
4 1/2" FH	3 1/2" IF	200	146	120	58	120	50	20	11-1088
4 1/2" FH	4 1/2" Reg	200	146	146	58	120	50	20	11-1089
4 1/2" FH	6 5/8" Reg	260	146	197	80	120	50	20	11-1090
4 1/2" IF	4 1/2" IF	200	152	152	80				11-1369
5 1/2" IF	4 1/2" IF	300	197	168	70				11-1416
6 5/8" Reg	NC 35	260	197	114	58	95	50	15	11-1094
6 5/8" Reg	2 7/8" Reg	295	197	102	36	75	40	20	11-1091
6 5/8" Reg	2 7/8" IF	300	197	114	53	120	50	50	11-1092
6 5/8" Reg	3 1/2" Reg	300	197	114	43	120	50	50	11-1093
6 5/8" Reg	3 1/2" Reg	857	197	114	43	90	50	30	11-1426
6 5/8" Reg	3 1/2" IF	260	197	120	58	95	50	15	11-1095
6 5/8" Reg	4 1/2" Reg	293	197	140	58	120	50	20	11-1096
6 5/8" Reg	4 1/2" Reg	285	197	168	58	120	50	30	11-1381
6 5/8" Reg	4 1/2" Reg	750	197	168	58	140	50	30	11-1594
6 5/8" Reg	6 5/8" Reg	207	194	194	80	152	50	30	11-1283
6 5/8" Reg	6 5/8" Reg	207	203	203	80				11-1490
6 5/8" Reg	6 5/8" IF	198	200	225	89	178	50	48	11-1172
7 5/8" Reg	6 5/8" Reg	200	225	200	89	178	50	50	11-1097
7 5/8" Reg	6 5/8" Reg	300	225	200	89	178	50	50	11-1424
7 5/8" Reg	6 5/8" Reg	609	225	197	80	114	50	50	11-1429
10" Beco	10" Beco	305	305	305	120	265	80	35	11-1625

We also have other dimensions, threads and lengths. Please contact us for more info.

BOX/PIN

Adapters



Thread Box (A)	Thread Pin (B)	Measurements, mm								Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C1	C2	
2 3/8" Reg	2 3/8" Reg	500	76	76	30	65	40	17	85	11-1111
2 3/8" Reg	2 3/8" Reg	600	76	76	30	65	40	25	85	11-1290
2 3/8" Reg	RD 70-4	500	89	89	43	65	40	15	85	11-1373
2 3/8" Reg	2 3/8" Reg	380	89	89	30	65	40	17	85	11-1581
2 3/8" Reg	2 3/8" Reg	400	89	89	30	65	40	17	85	11-1316
2 3/8" Reg	2 3/8" Reg	440	89	89	30	65	40	17	85	11-1252
2 3/8" Reg	3 1/2" Reg	600	80	114	43	65	40	45	85	11-1304
2 3/8" IF	2 3/8" IF	1040	89	89	43	70	50	30	100	11-1435
2 3/8" IF	3 1/2" Reg	820	89	114	43	70	50	30	100	11-1434
3 1/2" Reg	3 1/2" Reg	700	114	114	43	95	50	30	90	11-1349
4 1/2" Reg	3 1/2" Reg	650	146	114	43	120/95	50	40	110	11-1328
4 1/2" Reg	4 1/2" Reg	600	140	140	58	120	50	30	105	11-1511

We also have other dimensions, threads and lengths. Please contact us for more info.

BOX/BOX

Adapters



Thread Box (A)	Thread Box (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
NWY	2 3/8" Reg	205	71	76	43	65	40	80	11-1098
NWY	2 3/8" IF	220	71	89	43	65	40	80	11-1506
NWY	2 7/8" Reg	233	71	89	43	65	40	89	11-1449
NWY	3 1/2" Reg	230	114	114	38	95	50	85	11-1099
NWY	4 1/2" Reg	225	76	140	43	120	50	45	11-1645
NC 35	NC 35	240	114	114	58	95	50	95	11-1135
NC 35	3 1/2" IF	240	114	120	58	95	50	95	11-1136
NC 35	4 1/2" Reg	240	114	146	58	120	50	95	11-1137
NC 35	4 1/2" FH	240	114	146	73	120	50	95	11-1138
NC 35	6 5/8" Reg	260	114	197	80	120	50	105	11-1139
RD 50-4	2 3/8" Reg	220	76	76	43	65	40	90	11-1100
RD 50-6	2 3/8" Reg	220	76	76	43	65	40	90	11-1101
RD 50-6	RD 70-4	200	89	89	43	65	40	80	11-1102
RD 50-6	3 1/2" Reg	200	76	115	43	95	50	50	11-1398
RD 70-4	RD 70-4	208	89	89	43	65	40	84	11-1567
RD 70-6	2 3/8" Reg	190	89	89	43	65	40	75	11-1105
2 3/8" Reg	Haus	200	76	67	43				11-1585
2 3/8" Reg	Holman	140	76	76	38	65	40	85	11-1333
2 3/8" Reg	"N"	205	76	76	43	65	40	85	11-1464

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Box (A)	Thread Box (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
2 3/8" Reg	RD 70-4	190	89	89	43	65	40	75	11-1103
2 3/8" Reg	2 3/8" Reg	200	76	76	43	65	40	80	11-1106
2 3/8" Reg	2 3/8" Reg	200	76	76	43				11-1185
2 3/8" Reg	2 3/8" Reg	200	89	89	43	65	40	80	11-1107
2 3/8" Reg	2 3/8" Reg	203	89	89	43	65	40	83	11-1556
2 3/8" Reg	2 3/8" Reg	380	89	89	43	65	40	95	11-1318
2 3/8" Reg	2 3/8" Reg	420	89	89	43	65	40	75	11-1450
2 3/8" Reg	2 3/8" IF	220	89	89	43	65	40	75	11-1108
2 3/8" Reg	2 3/8" IF	700	89	89	43	65	40	75	11-1269
2 3/8" Reg	2 7/8" Reg	225	89	89	43	65	40	80	11-1109
2 3/8" Reg	2 7/8" IF	220	89	114	43	95	50	75	11-1110
2 3/8" Reg	3 1/2" Reg	210	89	114	43	95	50	80	11-1112
2 3/8" Reg	3 1/2" Reg	250	89	114	43	95	50	80	11-1501
2 3/8" IF	2 3/8" IF	240	89	89	43	65	40	100	11-1113
2 3/8" IF	2 7/8" Reg	245	89	89	43	65	40	100	11-1114
2 3/8" IF	2 7/8" Reg	240	89	89	43	65	40	100	11-1348
2 3/8" IF	3 1/2" Reg	200	89	114	52	95	50	65	11-1115
2 7/8" Reg	2 7/8" IF	220	89	114	43	95	50	85	11-1116
2 7/8" Reg	3 1/2" Reg	230	89	114	43	95	50	95	11-1117
2 7/8" Reg	3 1/2" IF	230	89	114	43	95	5	95	11-1118
2 7/8" Reg	4 1/2" Reg	240	89	146	43	120	50	95	11-1119
2 7/8" Reg	4 1/2" FH	240	89	146	43	120	50	95	11-1120
2 7/8" IF	NC 35	220	114	114	63	95	50	75	11-1122
2 7/8" IF	2 7/8" IF	220	114	114	58	95	50	85	11-1574
2 7/8" IF	3 1/2" Reg	220	114	114	58	95	50	85	11-1121
2 7/8" IF	3 1/2" Reg	533	114	114	58	89	102	127	11-1631
3 1/2" Reg	NC 35	220	114	114	58	95	50	85	11-1128
3 1/2" Reg	RD 50-6	180	114	76	43	95	50	85	11-1296
3 1/2" Reg	RD 70-4	180	114	89	58	95	50	85	11-1104
3 1/2" Reg	2 3/8" IF	609	114	89	38	76	64	451	11-1519
3 1/2" Reg	3 1/2" Reg	220	114	114	58	95	50	85	11-1129
3 1/2" Reg	3 1/2" Reg	260	127	127	58	95	50	105	11-1491

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Box (A)	Thread Box (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
3 1/2" Reg	3 1/2" Reg	355	114	114	58	98	64	102	11-1520
3 1/2" Reg	3 1/2" Reg	400	114	114	58	95	50	85	11-1127
3 1/2" Reg	3 1/2" IF	250	120	120	58	95	50	85	11-1130
3 1/2" Reg	3 1/2" IF	260	127	127	58	95	50	80	11-1312
3 1/2" Reg	4 1/2" Reg	240	114	146	58	120	50	85	11-1131
3 1/2" Reg	4 1/2" Reg	240	140	140	58	120	50	70	11-1313
3 1/2" Reg	4 1/2" FH	240	115	146	58	120	50	70	11-1133
3 1/2" Reg	4 1/2" IF	240	115	146	58	120	50	70	11-1132
3 1/2" IF	2 3/8" Reg	230	120	89	43	95	50	125	11-1300
3 1/2" IF	3 1/2" IF	240	120	146	58	120	50	70	11-1140
3 1/2" IF	4 1/2" Reg	240	120	146	79	120	50	70	11-1141
4 1/2" Reg	RD 90-4	240	146	127	58	120	50	100	11-1500
4 1/2" Reg	2 3/8" Reg	225	146	90	43	120	50	90	11-1213
4 1/2" Reg	2 3/8" IF	225	146	89	53	120	50	90	11-1323
4 1/2" Reg	2 7/8" IF	230	146	114	58	120	50	95	11-1123
4 1/2" Reg	3 1/2" Reg	230	146	114	58	120	50	95	11-1339
4 1/2" Reg	4 1/2" Reg	300	146	146	80	120	50	125	11-1210
4 1/2" Reg	4 1/2" FH	300	146	146	80	120	50	125	11-1145
4 1/2" Reg	4 1/2" IF	300	158	158	80	120	50	105	11-1144
4 1/2" Reg	6 5/8" Reg	320	146	193	80	120	50	100	11-1146
4 1/2" FH	6 5/8" Reg	320	146	197	80	120	50	125	11-1147
6 5/8" Reg	2 3/8" Reg	330	197	89	43	65	40	80	11-1214
6 5/8" Reg	2 3/8" IF	351	197	89	43	65	40	100	11-1331
6 5/8" Reg	2 7/8" IF	270	200	114	65	120	50	28	11-1124
6 5/8" Reg	3 1/2" Reg	280	197	120	58	120	50	25	11-1134
6 5/8" Reg	3 1/2" IF	265	197	115	79	120	50	28	11-1142
6 5/8" Reg	4 1/2" IF	300	197	177	106	178	50	125	11-1337
6 5/8" Reg	6 5/8" Reg	300	200	200	120	178	50	125	11-1148
7 5/8" Reg	3 1/2" IF	320	225	120	58	120	50	70	11-1143

We also have other dimensions, threads and lengths. Please contact us for more info.

PIN/PIN

Adapters



Thread Pin (A)	Thread Pin (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
NWY	NWY	90	67	67	30	55	40	25	11-1278
NWY	RD 50-6	85	70	70	30	55	40	25	11-1149
NWY	2 3/8" Reg	70	76	76	30	65	40	15	11-1150
NWY	2 3/8" IF	70	76	76	30	65	40	15	11-1446
NWY	3 1/2" Reg	70	114	114	30	95	50	10	11-1151
AWJ	RD 40-6	60	51	51	13	40	40	10	11-1335
NC 35	2 7/8" IF	90	115	115	53	95	50	20	11-1163
NC 35	3 1/2" IF	90	120	120	58	95	50	20	11-1168
RD 40-6	CR 60	90	60	60	20	50	40	25	11-1227
RD 40-6	RD 40-6	90	51	51	22	41	40	25	11-1529
RD 40-6	RD 50-6	90	55	70	22	55	40	25	11-1338
RD 50-6	CR 60	90	76	60	20	65	40	25	11-1255
RD 50-6	RD 50-6	70	90	60	30	48	40	15	11-1627
RD 50-6	RD 50-6	70	70	70	30	65	40	15	11-1152
RD 50-6	2 3/8" Reg	60	76	76	30	65	40	10	11-1153
RD 70-4	RD 70-4	70	89	89	43	65	40	15	11-1154
RD 70-4	RD 70-4	250	89	89	43	65	40	20	11-1630

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Pin (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
RD 70-4	RD 70-4	440	89	89	43	65	40	80	11-1155
RD 70-4	2 3/8" Reg	70	89	89	30	65	40	15	11-1156
RD 70-4	2 3/8" Reg	440	89	89	30	65	40	385	11-1438
RD 70-4	2 7/8" IF	92	89	115	43	65	40	15	11-1241
RD 70-4	3 1/2" Reg	97	89	115	43	95	50	15	11-1157
2 3/8" Reg	HW	80	89	89	30	65	40	20	11-1508
2 3/8" Reg	RD 40-6	80	76	55	22	65	40	20	11-1307
2 3/8" Reg	2 3/8" Reg	70	76	76	30	65	40	15	11-1311
2 3/8" Reg	2 3/8" Reg	70	89	89	30	65	40	15	11-1158
2 3/8" Reg	2 3/8" Reg	250	89	89	30	65	40	20	11-1510
2 3/8" Reg	2 3/8" Reg	305	89	89	30	65	40	20	11-1288
2 3/8" Reg	2 3/8" IF	80	89	89	30	65	40	20	11-1209
2 3/8" Reg	2 7/8" Reg	70	89	89	30	65	40	15	11-1159
2 3/8" Reg	2 7/8" Reg	70	89	89	30	80	40	15	11-1593
2 3/8" Reg	2 7/8" IF	100	89	114	30	95	50	25	11-1238
2 3/8" IF	2 3/8" IF	70	89	89	43	65	40	15	11-1242
2 3/8" IF	2 7/8" Reg	70	89	89	38	65	40	15	11-1488
2 7/8" Reg	2 7/8" Reg	70	89	89	36	65	40	15	11-1595
2 7/8" Reg	3 1/2" Reg	100	100	115	34	95	50	25	11-1367
2 7/8" Reg	6 5/8" Reg	120	100	178	34	152	50	45	11-1368
2" Z	2" Z	70	76	76	25	65	40	15	11-1562
3 1/2" Reg	NC 35	90	114	114	43	95	50	20	11-1165
3 1/2" Reg	RD 110-4	100	140	140	43	120	50	25	11-1259
3 1/2" Reg	2 3/8" Reg	97	114	89	30	95	50	23	11-1160
3 1/2" Reg	2 3/8" IF	100	114	89	43	95	50	25	11-1212
3 1/2" Reg	2 7/8" IF	90	114	114	43	95	50	20	11-1162
3 1/2" Reg	3 1/2" Reg	75	114	114	43	95	50	12	11-1387
3 1/2" Reg	3 1/2" Reg	90	114	114	43	95	50	20	11-1164
3 1/2" Reg	3 1/2" Reg	90	127	127	43	95	50	20	11-1536
3 1/2" Reg	3 1/2" Reg	100	120	140	43	120	50	25	11-1180

We also have other dimensions, threads and lengths. Please contact us for more info.

Thread Pin (A)	Thread Pin (B)	Measurements, mm							Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C	
3 1/2" Reg	3 1/2" IF	90	120	120	43	95	50	25	11-1166
3 1/2" Reg	4 1/2" Reg	100	146	146	43	120	50	25	11-1167
3 1/2" IF	2 3/8" Reg	90	114	89	30	95	50	20	11-1161
3 1/2" IF	2 3/8" IF	100	114	89	43	95	50	25	11-1260
3 1/2" IF	2 7/8" IF	100	114	114	53	95	50	25	11-1125
3 1/2" IF	2 7/8" IF	494	121	114	50				11-1980
3 1/2" IF	3 1/2" IF	100	114	114	58	95	50	25	11-1509
3 1/2" IF	6 5/8" Reg	150	120	197	58	178	50	60	11-1169
4 1/2" Reg	4 1/2" Reg	100	140	140	58	120	50	25	11-1170
5 1/2" IF	5 1/2" IF	400	197	197	70				11-1417
6 5/8" Reg	4" IF	560	199	145	76	115	65	430	11-1530

We also have other dimensions, threads and lengths. Please contact us for more info.

SANDVIK TITON/DI

Adapters



Thread Box (A)	Thread Pin (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
M62	RD 50-6	275	89	75	30	50	40	200	11-767475
M62	2 3/8" Reg	275	89	75	30	50	50	200	11-798242
M70	RD 50-6	150	89	70	30	50	40	60	11-761500
M70	RD 70-6	123	89	89	36	65	40	60	11-761499
2 3/8" Reg	RD 50-6	165	76	76	30	50	40	110	11-640217
2 3/8" Reg	M62	215	76	76	30	70	25	180	11-687703
2 3/8" Reg	M62	165	89	89	30	80	30	135	11-687218
2 3/8" Reg	M62	215	89	89	30	70	25	190	11-512674
2 7/8" Reg	M62	215	102	102	30	75	30	175	11-502994
3 1/2" Reg	M62	184	114	114	30	95	25	159	11-510992
3 1/2" Reg	M62	215	114	114	30	95	30	175	11-503612

We also have other dimensions, threads and lengths. Please contact us for more info.

SANDVIK TITON/DI

Adapters



Thread Box (A)	Thread Box (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
RD 46-6	GG 2"	264	76	76	25	50	40	125	11-640331
RD 46-6	RD 50-6	240	76	76	25	50	40	125	11-640332
RD 46-6	2 3/8" Reg	264	76	76	25	50	40	125	11-798405
2 3/8" Reg	2 3/8" Reg	240	76	76	30	50	40	100	11-640201

We also have other dimensions, threads and lengths. Please contact us for more info.

SANDVIK TITON/DI

Adapters



Thread Pin (A)	Thread Pin (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
GG 2"	GG 2"	100	70	70	25	50	50	25	11-688669
GG 2"	M62	108	70	83	30	55	25	20	11-687254
GG 2"	R 2"	224	76	76	21				11-783325
GG 2 3/8"	R 2"	226	89	89	25				11-783326
Tr 52	R 1 1/2"	317	68	68	21				11-670719
2 3/8" Reg	M62	139	76	76	30	70	25	12	11-687702
2 3/8" Reg	M62	89	89	89	30	70	25	20	11-502384
2 3/8" Reg	M62	89	89	89	30	80	25	20	11-687217
2 3/8" Reg	M62	139	89	89	30	70	25	10	11-512672
2 3/8" Reg	R 2"	226	76	76	30				11-671543
2 3/8" Reg	R 2"	226	83	83	30				11-671455
2 3/8" Reg	R 2"	226	89	89	30				11-671725
2 3/8" Reg	R 3"	226	127	127	30				11-671376
3 1/2" Reg	R 3"	224	114	114	39				11-783327
3 1/2" Reg	R 3"	219	127	127	39				11-783328

We also have other dimensions, threads and lengths. Please contact us for more info.

NORDMEYER

Adapters



Thread Box (A)	Thread Pin (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
Nordm	Nordm	100	95	95	53				11-2415
Nordm	Nordm	150	95	95	53				11-2713
Nordm	Nordm	200	95	95	53	80	40	10	11-2414
Nordm	Nordm	250	95	95	53	80	40	10	11-2714
2 3/8" IF	Nordm	150	95	95	53	80	40	10	11-2452



Thread Box (A)	Thread Box (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
2 3/8" Reg	Nordm	300	95	95	43	80	40	130	11-2453
2 7/8" Reg	Nordm	300	95	95	43	80	40	130	11-2454
3 1/2" Reg	Nordm	300	95	114	53	80	40	130	11-2455

We also have other dimensions, threads and lengths. Please contact us for more info.

RETRAC

Adapters



Thread Box (A)	Thread Pin (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
2 3/8" Reg	2 3/8" Reg	209	81	93	25	60	40	59	11-1371
3 1/2" Reg	3 1/2" Reg	265	115	127	43	95	50	64	11-1633
3 1/2" Reg	3 1/2" Reg	265	115	152	43	95	50	120	11-410060
4 1/2" Reg	4 1/2" Reg	265	146	197	58	120	50	120	11-410057
4 1/2" Reg	4 1/2" Reg	265	146	229	58	120	50	120	11-410058
4 1/2" Reg	4 1/2" Reg	265	146	267	58	120	50	120	11-410059



Thread Box (A)	Thread Pin (B)	Measurements, mm S/S	OD1	OD2	ID	A (Flats)	B	C	Product No.
2 3/8" Reg	2 3/8" Reg	175	82	82	30	65	40	55	11-1302
2 3/8" Reg	2 3/8" Reg	175	89	92	30	65	40	49	11-1699
2 3/8" Reg	2 3/8" Reg	175	100	102	30	65	40	55	11-1700
2 3/8" Reg	2 3/8" Reg	175	98	105	30	65	40	55	11-1276
3 1/2" Reg	3 1/2" Reg	200	114	117	43	95	50	60	11-1701

We also have other dimensions, threads and lengths. Please contact us for more info.

Drive Subs



Thread Box	Rig Model	S/S Lenght	OD Flange	Product No.
2 3/8" Reg	DRILTECH D10K	172	155	11-1639
2 3/8" Reg	DRILTECH D10K	430	155	11-2546
2 3/8" Reg	ATLAS GEA	120	255	11-2640
3 1/2" Reg	DRILTECH D40K	213	149	11-1801
3 1/2" Reg	KLEMM H14	196	197	11-1800
3 1/2" Z	SANDVIK TAMROCK	311	200	11-2223
8 5/8" Reg	KLEMM KH32	800	288	90-0508
8 1/4"DI-22	INDAU 90	200	400	90-459
8 1/4"DI-22	INDAU 250	257	500	90-250-1
9 1/4"DI-22	INDAU 250	257	500	90-250

Thread Pin	Rig Model	S/S Lenght	OD Flange	Product No.
3 1/2" IF	SCHRAMM T450	102	150	11-3158
6 5/8" Reg	SCHRAMM	51	190	11-2729

We also have other dimensions, threads, lengths, flanges, etc. Please contact us for more info.

Guide Sleeves



Thread Box (A)	Thread Pin (B)	Measurements, mm S/S	OD1	OD2	OD3	ID	A (Flats)	B	C	Product No.
2 3/8" Reg	2 3/8" Reg	225	89	89	101	34	65	40	15	16-1001
2 3/8" Reg	2 3/8" Reg	225	89	89	114	34	65	40	15	16-1050
2 3/8" Reg	2 3/8" Reg	225	89	89	127	34	65	40	15	16-1002
2 3/8" Reg	2 3/8" Reg	225	89	89	139	34	65	40	15	16-1056
2 3/8" Reg	2 3/8" Reg	225	89	89	151	34	65	40	15	16-1003
2 3/8" Reg	2 3/8" Reg	225	89	89	164	34	65	40	15	16-1057
2 3/8" Reg	2 3/8" Reg	225	89	89	170	34	65	40	15	16-1086
2 3/8" Reg	2 3/8" Reg	225	89	89	177	34	65	40	15	16-1063
2 3/8" Reg	2 3/8" Reg	350	89	89	177	30	65	40	20	16-1140
2 3/8" Reg	2 3/8" Reg	225	89	89	179	34	65	40	15	16-1064
2 3/8" Reg	2 3/8" Reg	225	89	89	202	34	65	40	15	16-1099
2 3/8" Reg	2 3/8" Reg	225	89	89	207	34	65	40	15	16-1126
2 3/8" Reg	2 3/8" Reg	225	89	89	235	34	65	40	15	16-1077
2 3/8" IF	2 3/8" IF	225	89	89	151	43	65	40	20	16-1101
3 1/2" Reg	3 1/2" Reg	250	114	114	139	43	95	50	15	16-1058
3 1/2" Reg	3 1/2" Reg	300	114	114	139	43	95	50	15	16-1138
3 1/2" Reg	3 1/2" Reg	600	114	114	139	43	95	50	15	16-1139
3 1/2" Reg	3 1/2" Reg	250	114	114	151	43	95	50	15	16-1004
3 1/2" Reg	2 3/8" Reg	300	114	114	151	30	65	40	15	16-1011

We also have other dimensions, threads, lengths, welded or integral. Please contact us for more info.

Thread Box (A)	Thread Pin (B)	Measurements, mm								Product No.
		S/S	OD1	OD2	OD3	ID	A (Flats)	B	C	
3 1/2" Reg	2 3/8" Reg	300	114	114	156	30	65	40	15	16-1047
3 1/2" Reg	3 1/2" Reg	250	114	114	164	43	95	50	15	16-1059
3 1/2" Reg	3 1/2" Reg	300	114	114	164	43	95	50	15	16-1136
3 1/2" Reg	3 1/2" Reg	600	114	114	164	43	95	50	15	16-1137
3 1/2" Reg	3 1/2" Reg	250	114	114	177	43	95	50	15	16-1005
3 1/2" Reg	2 3/8" Reg	300	114	114	177	30	65	40	15	16-1012
3 1/2" Reg	3 1/2" Reg	250	114	114	179	43	95	50	15	16-1062
3 1/2" Reg	3 1/2" Reg	250	114	114	185	43	95	50	15	16-1095
3 1/2" Reg	3 1/2" Reg	250	114	114	189	43	95	50	15	16-1089
3 1/2" Reg	3 1/2" Reg	250	114	114	200	43	95	50	15	16-1061
3 1/2" Reg	2 3/8" Reg	300	114	114	200	30	65	40	15	16-1013
3 1/2" Reg	2 3/8" Reg	300	114	114	202	30	65	40	15	16-1054
3 1/2" Reg	3 1/2" Reg	250	114	114	202	43	95	50	15	16-1006
3 1/2" Reg	3 1/2" Reg	250	114	114	214	43	95	50	15	16-1060
3 1/2" Reg	3 1/2" Reg	300	114	114	247	43	95	50	15	16-1084
3 1/2" Reg	3 1/2" Reg	300	114	114	250	43	95	50	15	16-1104
3 1/2" Reg	3 1/2" Reg	300	114	114	255	43	95	50	15	16-1083
3 1/2" Reg	3 1/2" Reg	300	114	114	295	43	95	50	15	16-1008
3 1/2" Reg	3 1/2" Reg	300	114	114	300	43	95	50	15	16-1114
3 1/2" Reg	3 1/2" Reg	300	114	114	302	43	95	50	15	16-1007
3 1/2" Reg	3 1/2" Reg	300	114	114	325	43	95	50	15	16-1141
3 1/2" Reg	3 1/2" Reg	300	114	114	334	43	95	50	15	16-1111
3 1/2" Reg	3 1/2" Reg	300	114	114	343	43	95	50	15	16-1094
3 1/2" Reg	3 1/2" Reg	300	114	114	348	43	95	50	15	16-1087
3 1/2" Reg	3 1/2" Reg	300	114	114	375	43	95	50	15	16-1143
3 1/2" Reg	3 1/2" Reg	300	114	114	475	43	95	50	15	16-1142
4 1/2" Reg	4 1/2" Reg	317	140	140	216	58	120	50	20	16-1109
4 1/2" Reg	4 1/2" Reg	317	140	140	247	58	120	50	20	16-1100
4 1/2" Reg	4 1/2" Reg	317	140	140	255	58	120	50	20	16-1078
4 1/2" Reg	4 1/2" Reg	317	140	140	295	58	120	50	20	16-1079
4 1/2" Reg	4 1/2" Reg	317	140	140	305	58	120	50	20	16-1113
4 1/2" Reg	4 1/2" Reg	317	140	140	330	58	120	50	20	16-1103

We also have other dimensions, threads, lengths, welded or integral. Please contact us for more info.

Thread Box (A)	Thread Pin (B)	Measurements, mm								Product No.
		S/S	OD1	OD2	OD3	ID	A (Flats)	B	C	
4 1/2" Reg	4 1/2" Reg	317	140	140	376	58	120	50	20	16-1120
6 5/8" Reg	6 5/8" Reg	318	197	197	305	58	178	50	50	16-1093
6 5/8" Reg	6 5/8" Reg	318	197	197	310	43	178	50	15	16-1096
6 5/8" Reg	6 5/8" Reg	318	197	197	375	43	178	50	15	16-1075
3 1/2" Reg	2 3/8" Reg	300	114	89	139	30	65	40	15	16-1051
3 1/2" Reg	2 3/8" Reg	300	114	89	164	30	65	40	15	16-1052
3 1/2" Reg	2 3/8" Reg	300	114	89	182	30	65	40	15	16-1048
3 1/2" Reg	2 3/8" Reg	300	114	89	189	30	65	40	15	16-1053
3 1/2" Reg	2 3/8" Reg	300	114	89	202	30	65	40	15	16-1054
3 1/2" Reg	2 3/8" Reg	300	114	89	205	30	65	40	15	16-1049
4 1/2" Reg	3 1/2" Reg	235	146	114	202	43	95	50	15	16-1097
4 1/2" Reg	3 1/2" Reg	420	146	114	212	43	95	50	25	16-1144
4 1/2" Reg	3 1/2" Reg	235	146	114	219	43	95	50	15	16-1125
4 1/2" Reg	3 1/2" Reg	235	146	114	247	43	95	50	15	16-1082
4 1/2" Reg	3 1/2" Reg	235	146	114	255	43	95	50	15	16-1081
4 1/2" Reg	3 1/2" Reg	235	146	114	295	43	95	50	15	16-1092
4 1/2" Reg	3 1/2" Reg	235	146	114	330	43	95	50	15	16-1107
4 1/2" Reg	3 1/2" Reg	235	146	114	350	43	95	50	15	16-1085
4 1/2" Reg	3 1/2" Reg	235	146	114	385	43	95	50	15	16-1088

We also have other dimensions, threads, lengths, welded or integral. Please contact us for more info.

Spiral Guide Sleeves



Thread Box (A)	Thread Pin (B)	Measurements, mm								Weight Kg	Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C1	C2		
2 3/8" Reg	2 3/8" Reg	500	76	113	30	65	40	90	17	18	16-1242
2 3/8" Reg	2 3/8" Reg	500	76	114	30	65	40	90	17	19	16-1251
2 3/8" Reg	2 3/8" Reg	500	89	139	30	65	40	90	17	27	16-1252
2 3/8" Reg	2 3/8" Reg	500	89	162	30	65	40	90	17	29	16-1131
2 3/8" Reg	2 3/8" Reg	1000	89	120	30	65	40	90	17	53	16-1274
3 1/2" Reg	3 1/2" Reg	500	114	162	38	95	50	110	20	44	16-1132
4 1/2" Reg	4 1/2" Reg	700	140	250	58	120	50	105	20	102	16-1133
6 5/8" Reg	6 5/8" Reg	600	194	304	80	152	70	160	70	130	16-1359

We also have other dimensions, threads, lengths, etc. Please contact us for more info.

HARD FACE

Guide Rods



Thread Box (A)	Thread Pin (B)	Measurements, mm								Weight Kg	Product No.
		S/S	OD1	OD2	ID	A (Flats)	B	C1	C2		
2 3/8" Reg	2 3/8" Reg	3000	76	111	30	65	40	85	27	109	10-5032
2 3/8" Reg	2 3/8" Reg	1500	89	105	30	65	40	78	27	43	10-5068
2 3/8" Reg	2 3/8" Reg	1500	89	110	30	65	40	78	27	49	10-5029
2 3/8" Reg	2 3/8" Reg	1500	89	113	30	65	40	78	27	50	10-5026
2 3/8" Reg	2 3/8" Reg	1500	89	114	30	65	40	78	27	50	10-5015
2 3/8" Reg	2 3/8" Reg	1500	89	139	30	65	40	78	27	61	10-5016
2 7/8" Reg	2 7/8" Reg	1500	89	119	36	65	40	110	27	58	10-5067
2 7/8" Reg	2 7/8" Reg	1800	89	129	36	65	40	110	27	70	10-5062
3 1/2" Reg	3 1/2" Reg	1500	114	139	43	95	50	75	30	79	10-5018
3 1/2" Reg	3 1/2" Reg	2000	114	139	43	95	50	75	30	132	10-5025
3 1/2" Reg	3 1/2" Reg	1500	114	140	43	95	50	75	30	79	10-5022
3 1/2" Reg	3 1/2" Reg	1500	114	164	43	95	50	75	30	87	10-5019
3 1/2" Reg	3 1/2" Reg	2000	114	164	43	95	50	75	30	142	10-5023
3 1/2" Reg	3 1/2" Reg	3000	114	164	43	95	50	75	30	170	10-5064
4" Z	4" Z	2000	140	158	43	125	50	95		96	10-5043
4" Z	4" Z	2000	140	160	43	125	50	95		100	10-5042
4" Z	4" Z	2000	140	162	43	125	50	95		104	10-5041
4" Z	4" Z	2000	168	210	43	125	50	95		212	10-5060
4" Z	4" Z	2000	168	212	43	125	50	95		216	10-5061
4" Z	4" Z	2000	168	245	43	125	50	95		248	10-5065
4" Z	4" Z	2000	168	248	43	125	50	95		250	10-5066

We also have other dimensions, threads, lengths, etc. Please contact us for more info.

Wear Sleeves with Guiding



DTH Hammer	No. Of Guides (No.)	OD Guides (mm)	Product No.
COP 44	4	110	15-1029
COP 44	4	114	15-1006
COP 44	4	124	15-1021
COP 54	4	139	15-1007
COP 64	4	164	15-1008
COP 64	5	164	15-1026
COP 64	6	164	15-1015
DHD 360	4	164	15-1004
DHD 380	6	201	15-1037
MINCON 4 (340)	4	114	15-1213
MINCON 5 (350)	5	139	15-1210
MINCON 6 (360)	6	164	15-1033
MINCON 8 (380)	6	202	15-1040
QL 6	4	164	15-1208
SF 6	4	164	15-1005

We also have other dimensions, spiral and hammers. Please contact us for more info.

Chucks

CHUCK STANDARD



DTH Hammer	No. Of Guides (No.)	OD Guides (mm)	Product No.
COP 34	-	80	15-1193
COP 44	-	98	15-1132
COP 44 GOLD	-	100	15-1175
COP 54	-	120	15-1133
COP 64	-	142	15-1131
MINCON 4 (340)	-	98	15-1179
MINCON 5 (350)	-	124	15-1155
MINCON 6 (360)	-	140	15-1250
QL 4	-	94	15-1243
QL 5	-	118	15-1221

CHUCKS WITH GUIDING



DTH Hammer	No. Of Guides (No.)	OD Guides (mm)	Product No.
COP 34	4	102	15-1166
COP 44	4	114	15-1121
COP 44	4	124	15-1164
COP 44 GOLD	4	114	15-1176
COP 54	5	139	15-1133
COP 64	5	164	15-1123
DHD 380	6	201	15-1178
MINCON 4 (340)	4	114	15-1180
MINCON 5 (350)	4	139	15-1162
MINCON 6 (360)	5	164	15-1248
MINCON 8 (380)	6	202	15-1188
QL 5	5	139	15-1151

We also have other dimensions and hammers. Please contact us for more info.

String Stabilizer



Thread Box	Thread Pin	S/S	OD1/OD2 (Body)	A1/A2 (Flats)	Weight (Kg)	OD3 (mm)	OD3 (inch)	Product No.
4 1/2" Reg	4" FH	3048	140/140	-/120	400	191	7 1/2"	12-1362
4 1/2" Reg	4 1/2" FH	3048	159/159	-/114	460	200	7 7/8"	12-1339
4 1/2" Reg	4 1/2" Reg	1524	140/140	120/120	197	216	8 1/2"	12-1354
4 1/2" Reg	4 1/2" Reg	1220	140/140	120/120	176	244	9 5/8"	12-1275
6 5/8" Reg	3 1/2" IF	1524	200/127	-/89	395	241	9 1/2"	12-1368
6 5/8" Reg	6 5/8" Reg	1500	200/200	178/178	355	270	10 5/8"	12-1271
6 5/8" Reg	6 5/8" Reg	1524	200/200	178/178	378	311	12 1/4"	12-1348
6 5/8" Reg	6 5/8" Reg	1524	200/200	178/178	418	275	14 3/4"	12-1347
6 5/8" Reg	6 5/8" Reg	1524	200/200	178/178	453	432	17"	12-1346
6 5/8" FH	6 5/8" FH	1524	219/219	178/178	395	311	12 1/4"	12-1265
6 5/8" FH	6 5/8" FH	1524	219/219	178/178	439	275	14 3/4"	12-1266
6 5/8" FH	6 5/8" FH	1524	219/219	178/178	488	445	17"	12-1267



Thread Box	Thread Pin	S/S	OD1/OD2 (Body)	A1/A2 (Flats)	Weight (Kg)	OD3 (mm)	OD3 (inch)	Product No.
4 1/2" Reg	4" FH	1500	152/152	120/120	222	198	7 13/16"	12-1593
4 1/2" Reg	4" FH	1500	152/152	120/120	223	198	7 13/16"	12-1594
6 5/8" Reg	6 5/8" Reg	2540	200/200	178/178	560	248	9 3/4"	12-1588

We also have other dimensions, threads, lengths, welded or integral. Please contact us for more info.

Bottom Hole Stabilizer

Prepared for Baker Float Valve (not included)



Thread Box 1	Thread Box 2	S/S	OD1/OD2 (Body)	A1/A2 (Flats)	Weight (Kg)	OD3 (mm)	OD3 (inch)	Product No.
4 1/2" Reg	3 1/2" IF	1220	140/140	120/120	110	191	7 1/2"	12-1229
4 1/2" Reg	3 1/2" IF	1220	140/140	120/120	129	216	8 1/2"	12-1230
6 5/8" Reg	3 1/2" IF	1525	140/200	120/178	273	251	9 7/8"	12-1234
6 5/8" Reg	3 1/2" IF	1525	140/200	120/178	285	270	10 5/8"	12-1235
6 5/8" Reg	3 1/2" IF	1525	140/200	120/178	311	311	12 1/4"	12-1237
4 1/2" Reg	4 1/2" Reg	1524	140/140	120/120	185	216	8 1/2"	12-1375
6 5/8" Reg	4 1/2" Reg	1525	200/140	178/120	379	311	12 1/4"	12-1288
6 5/8" Reg	6 5/8" Reg	1525	200/200	178/178	338	311	12 1/4"	12-1248
6 5/8" Reg	6 5/8" Reg	1525	200/200	178/178	378	275	14 3/4"	12-1249
6 5/8" Reg	6 5/8" Reg	1525	200/200	178/178	410	445	17 1/2"	12-1250
6 5/8" Reg	6 5/8" FH	1525	219/219	178/178	380	311	12 1/4"	12-1252
7 5/8" Reg	6 5/8" Reg	1525	219/219	178/178	424	275	14 3/4"	12-1287
7 5/8" Reg	6 5/8" FH	1525	219/219	178/178	420	275	14 3/4"	12-1253
7 5/8" Reg	6 5/8" FH	1525	219/219	178/178	469	445	17 1/2"	12-1254

We also have other dimensions, threads, lengths, welded or integral. Please contact us for more info.

Roller Stabilizer



Thread Box	Thread Pin	S/S	OD1/OD2 (Body)	A1/A2 (Flats)	Weight (Kg)	OD3 (mm)	OD3 (inch)	Product No.
Welded Roller Blocks								
4 1/2" Reg	Beco 6"	1524	194/194	-/171	335	229	9"	12-1377
6 5/8" Reg	Beco 5 1/4"	813	194/194	-/171	175	241	9 1/2"	12-1399
Bolted Roller Blocks								
6 5/8" Reg	Beco 5 1/4"	813	194/194	-/171	171	241	9 1/2"	12-1401
6 5/8" Reg	Beco 5 1/4"	1524	194/194	-/171	327	241	9 1/2"	12-1391

Wear parts for Bolted Roller Stabilizer	
Set of Rollers for 9" Stabilizer	12-1378
Set of Rollers for 9 7/8" Stabilizer	12-1392

We also have other dimensions, threads, lengths. Please contact us for more info.

Non Return Valves (NRV)



Thread Box	Thread Pin	S/S	OD1/OD2 Body	Flats	Check Valve ID	Product No.
2 3/8" Reg	2 3/8" Reg	140	76/76	65t	FA D34	13-1117
2 3/8" Reg	2 3/8" Reg	140	89/89	65	FA D34	13-1140
2 3/8" Reg	2 3/8" Reg	140	89/89	65	FA D30	13-1074
2 3/8" IF	2 3/8" IF	205	89/89	65	FA D43	13-1009
2 7/8" Reg	2 7/8" Reg	170	89/89	65	FA D34	13-1090
RD 70-4	RD 70-4	170	89/89	65	FA D30	13-1062
3 1/2" Reg	3 1/2" Reg	210	114/114	95	FA D43	13-1094
3 1/2" IF	3 1/2" IF	210	114/114	95	FA D58	13-1107
3 1/2" Reg	3 1/2" Reg	210	127/127	95	FA D43	13-1095
3 1/2" Reg	3 1/2" Reg	210	140/140	95	FA D43	13-1096

We also have other dimensions, threads, lengths, guided, NRV. Please contact us for more info.

Non Return Valves (NRV)



Thread Box	Thread Pin	S/S	OD1/OD2 Body	Flats	Check Valve ID	Product No.
2 3/8" Reg	2 3/8" Reg	140	76/76	65	FAR D34	13-1092
2 3/8" Reg	2 3/8" Reg	140	89/89	65	FAR D34	13-1093
2 3/8" IF	2 3/8" IF	230	89/89	65	FAR D43	13-1245
2 7/8" Reg	2 7/8" Reg	160	89/89	65	FAR D34	13-1272
RD 70-4	RD 70-4	170	89/89	65	FAR D30	13-1091
3 1/2" Reg	3 1/2" Reg	230	114/114	95	FAR D43	13-1098
3 1/2" Reg	3 1/2" Reg	230	127/127	95	FAR D43	13-1099
3 1/2" Reg	3 1/2" Reg	230	140/140	95	FAR D43	13-1200



Thread Box 1	Thread Box 2	S/S	OD1/OD2 Body	Flats	Check Valve ID	Product No.
2 3/8" Reg	2 3/8" Reg	240	76/76	65	FA D34	13-1282
2 3/8" Reg	2 3/8" Reg	240	89/89	65	FA D34	13-1112
3 1/2" Reg	3 1/2" Reg	310	114/114	95	FA D43	13-1274

We also have other dimensions, threads, lengths, guided, NRV. Please contact us for more info.

NRV Reversible



Thread Box	Thread Pin	S/S	OD1/OD2 Body	Flats	Check Valve ID	Product No.
MAY JR DQ	MAY JR DQ	320	73/73	55	1R	13-1248
2 3/8" IF	2 3/8" IF	270	89/89	65	1F2R	13-1025
3 1/2" Reg	3 1/2" Reg	300	114/114	95	2F3R	13-1026
3 1/2" IF	3 1/2" IF	381	140/140	114	312IF	13-1240
4 1/2" Reg	4 1/2" Reg	350	140/140	120	4R	13-1203
6 5/8" Reg	6 5/8" Reg	609	200/200	152	5F6R	13-1079
7 5/8" Reg	7 5/8" Reg	609	224/224	178	5F6R	13-1207

NRV PIPE (STD and eX-FLOW®)



Thread Box	Thread Pin	S/S	OD1/OD2 Body	OD3 Mibody	Flats (mm)	Weight (kg)	Check Valve ID	Product No.
2 3/8" Reg	2 3/8" Reg	3000	76/76	70	65	29,5	FA D34	10-4067

We also have other dimensions, threads, lengths, guided, NRV. Please contact us for more info.

REPAIR KIT NRV
Non Return Valves/Baker Valves

FA

FAR

Type of Non Return Valve	Product No.
FA D30	13-5012
FA D34	13-5017
FA D43	13-5014
FA D58	13-5016
FAR D30	13-5015
FAR D43	13-5013

BAKER

Baker Non Return Valve	Product No.
1R	13-1038
1F2R	13-1054
2F-3R	13-1053
312IF	13-1113
3F	13-1142
4F	13-1143
4R	13-1021
5R	13-1114
5F6R	13-1022

We also have other dimensions and NRV. Please contact us for more info.

Aerzorber®



Thread Box	Thread Pin	S/S Ext.	S/S Comp.	OD 1	OD 2	OD 3	Flats	Weight kg	Product No.
2 3/8" Reg	2 3/8" Reg	260	240	90	90	7"	120	29	23-1340
3 1/2" Reg	3 1/2" Reg	380	360	114	114	9,25"	95	75	23-1321
4 1/2" Reg	4 1/2" Reg	380	360	140	140	10"	120	86	23-1330
5 1/2" Reg	5 1/2" Reg	380	360	171	171	10,75"	152	107	23-1335
6 5/8" Reg	6 5/8" Reg	470	440	194	194	12"	165	164	23-1350

AERZORBER® SERVICE KIT

Aerzorber® Servicekits	Product No.
Service Kit For Aerzorber® 07,00" with partnumber 23-1340	23-1356
Service Kit For Aerzorber® 09,25" with partnumber 23-1321	23-1349
Service Kit For Aerzorber® 10,00" with partnumber 23-1330	23-1357
Service Kit For Aerzorber® 10,75" with partnumber 23-1335	23-1348
Service Kit For Aerzorber® 12,00" with partnumber 23-1350	23-1358

Torque wrench for Aerzorber® Cap Bolts	Product No.		
Torque Wrench 3/4" (200-800Nm)	561-400296		
Allen Key Socket 3/4" 14mm	561-400295	Make up Torque M16	600Nm
Allen Key Socket 3/4" 17mm	561-400301	Make up Torque M20	800Nm

We also have other dimensions, threads and lengths. Please contact us for more info.

Casing Shoes



Type	OD	OD 2	ID	S/S	Product No. Light Duty	Product No. Heavy Duty
Odex/Tubex 90	114	102	93	80	14-1015	14-1016
Odex/Tubex 90	114	106	93	80	14-1041	14-1042
Odex/Tubex 115	140	128	117	77	14-1017	14-1018
Odex/Tubex 115	140	131	119	77	14-1043	14-1044
Odex/Tubex 140	168	157	143	90	14-1019	14-1020
Odex/Tubex 140	168	158	144	90	14-1045	14-1046
Odex/Tubex 140	168	159	142	90	14-1139	-
Odex/Tubex 165	194	182	170	90	14-1021	14-1022
Odex/Tubex 190	219	205	193	110	14-1023	14-1024
Odex/Tubex 190	219	208	194	110	14-1049	14-1050
Odex/Tubex 240	273	258	242	110	14-1025	14-1026
Odex/Tubex 240	273	261	242	110	14-1144	-

We also have other dimensions, guidings, etc. Please contact us for more info.

Wrenches





Size	L	Product No.
32,5	450	17-1001
38	450	17-1053
45	450	17-1049
48	450	17-1072
50	450	17-1058
55	450	17-1002
65	450	17-1003
70	450	17-1004
75	450	17-1005
90	500	17-1028
95	500	17-1006
100	500	17-1052
102	500	17-1027
105	500	17-1047
110	500	17-1036
120	550	17-1007
127	550	17-1068
130	550	17-1048
140	600	17-1008
150	600	17-1055
175	700	17-1009
178	700	17-1010
220	725	17-1011

Odex/ Tubex	Bit Size	L	Product No.
76	64-76	580	17-1019
90	76-90	580	17-1020
-	85-100	580	17-1021
115	105-115	580	17-1022
140	127-140	600	17-1023
165	150-165	620	17-1024
190	178-190	650	17-1025
215	203-215	700	17-1026
240	220-250		17-1038
280	250-290		17-1043
365	350-375		17-1044

GUIDE DEVICE

Odex/ Tubex	L	D	Product No.
90	310	25	17-1012
115	310	25	17-1013
140	365	25	17-1014
165	345	25	17-1015
190	370	25	17-1016
215	385	25	17-1017
240	405	25	17-1018
280			17-1041
365			17-1042



WRENCH HOOK

Odex/ Tubex	L	Product No.
115	400	17-1064
140	450	17-1065
165	500	17-1066
190	500	17-1067
240	550	17-1069

We also have other dimensions, lengths, etc. Please contact us for more info.

CE-MARKED EYEBOLTS

Lifting Bails and Hoist Plugs

Available in Max Loads:
3 600-16 000kg

Available in Max Loads:
3 600–16 000kg

Thread Box	Max Load kg	Product No.
#21	3 600	22-1763
#24	3 600	22-1759
#28	3 600	22-1764
2 3/8" Reg	3 600	22-1211
2 3/8" IF	3 600	22-1212
2 7/8" Reg	3 600	22-1213
2 7/8" IF	3 600	22-1214
3 1/8" DIBH	3 600	22-1536
3 1/2" Reg	3 600	22-1215
3 1/2" IF	3 600	22-1217
3 1/2" DIBH	3 600	22-1537
4" FH	3 600	22-1235
4 1/2" Reg	3 600	22-1218
4 1/2" FH	3 600	22-1219
6 5/8" Reg	3 600	22-1220
7 5/8" Reg	3 600	22-1233
8 5/8" Reg	3 600	22-1881
BECO 3"	3 600	22-1757
BECO 3 1/2"	3 600	22-1538
BECO 4"	3 600	22-1539
BECO 4 1/2"	3 600	22-1765
BECO 5 1/4"	3 600	22-1540
BECO 6"	3 600	22-1461
BECO 8"	3 600	22-1463

Thread Pin	Max Load kg	Product No.
#21	3 600	22-1541
#24	3 600	22-1771
#28	3 600	22-1770
2 3/8" Reg	3 600	22-1201
2 3/8" IF	3 600	22-1202
2 7/8" Reg	3 600	22-1203
2 7/8" IF	3 600	22-1204
3 1/8" DIBH	3 600	22-1542
3 1/2" Reg	3 600	22-1205
3 1/2" IF	3 600	22-1207
3 1/2" DIBH	3 600	22-1543
4" FH	3 600	22-1236
4 1/2" Reg	3 600	22-1208
4 1/2" FH	3 600	22-1209
6 5/8" Reg	3 600	22-1210
7 5/8" Reg	3 600	22-1544
8 5/8" Reg	3 600	22-1224
BECO 3"	3 600	22-1545
BECO 3 1/2"	3 600	22-1467
BECO 4"	3 600	22-1546
BECO 4 1/2"	3 600	22-1479
BECO 5 1/4"	3 600	22-1547
BECO 6"	3 600	22-1460
BECO 8"	3 600	22-1462

We also have other dimensions, guidings, etc. Please contact us for more info.

CE-MARKED SWIVEL EYEBOLTS, ROTATABLE 360 DEGREES

Swivel Lifting Bails and Hoist Plugs

Available in Max Loads:
3 500–35 000kg

Thread Box	Max Load kg	Product No.
#21	3 500	22-1027
#24	3 500	22-1551
#28	3 500	22-1552
2 3/8" Reg	3 500	22-1002
2 3/8" IF	3 500	22-1003
2 7/8" Reg	3 500	22-1004
2 7/8" IF	3 500	22-1005
3 1/8" DIBH	3 500	22-1553
3 1/2" Reg	3 500	22-1554
3 1/2" IF	3 500	22-1555
3 1/2" DIBH	3 500	22-1498
4" FH	3 500	22-1556
4 1/2" Reg	3 500	22-1774
4 1/2" FH	3 500	22-1557
6 5/8" Reg	3 500	22-1558
7 5/8" Reg	3 500	22-1559
8 5/8" Reg	3 500	22-1560
BECO 3"	3 500	22-1561
BECO 3 1/2"	3 500	22-1562
BECO 4"	3 500	22-1563
BECO 4 1/2"	3 500	22-1564
BECO 5 1/4"	3 500	22-1565
BECO 6"	3 500	22-1566
BECO 8"	3 500	22-1567

Available in Max Loads:
3 500–35 000kg

Thread Pin	Max Load kg	Product No.
#21	3 500	22-1548
#24	3 500	22-1549
#28	3 500	22-1550
2 3/8" Reg	3 500	22-1011
2 3/8" IF	3 500	22-1012
2 7/8" Reg	3 500	22-1013
2 7/8" IF	3 500	22-1014
3 1/8" DIBH	3 500	22-1568
3 1/2" Reg	3 500	22-1015
3 1/2" IF	3 500	22-1017
3 1/2" DIBH	3 500	22-1569
4" FH	3 500	22-1570
4 1/2" Reg	3 500	22-1571
4 1/2" FH	3 500	22-1572
6 5/8" Reg	3 500	22-1573
7 5/8" Reg	3 500	22-1574
8 5/8" Reg	3 500	22-1575
BECO 3"	3 500	22-1026
BECO 3 1/2"	3 500	22-1576
BECO 4"	3 500	22-1028
BECO 4 1/2"	3 500	22-1480
BECO 5 1/4"	3 500	22-1577
BECO 6"	3 500	22-1578
BECO 8"	3 500	22-1579

We also have other dimensions, threads, lengths and loads. Please contact us for more info.

Tool Shanks



Take help from the Hammer to fasten your fishing tools properly.

Hammer	Thread	Product No.
COP 64	2 3/8"Reg Box	20-2008
COP 64	3 1/2"Reg Box	20-2013
DHD340A/COP 44	2 3/8"Reg Box	20-2003
TD40/COP44 GOLD	2 3/8"Reg Box	20-2016

We also have other dimensions, threads and hammers shanks. Please contact us for more info.

Fishing Tools

1-STEP FISHING OVERSHOT

Thread Pin	OD	OD 2	OD 3	Suitable for ex.	Product No.
2 3/8 Reg	76	72	64	70 mm eX-Flow®	22-1592
2 3/8 MAY JR DQ	76	72	64	70 mm Pipe	22-1583
2 3/8 Reg	89	79	73	76 mm Pipe	22-1043
#21	89	82	73	79 mm pipe	22-1459
2 3/8 Reg	102	92	84	89 mm Pipe	22-1044
2 3/8 Reg	102	98	84	95 mm Pipe	22-1238
2 3/8 Reg	106	101	90	4" Hammer	22-1494
2 3/8 Reg	114	106	97	102 mm Pipe	22-1239
2 3/8 Reg	133	127	112	5" Hammer	22-1173
3 1/2 Reg	127	119	110	114 mm Pipe	22-1046
3 1/2 Reg	133	125	102	5" Hammer	22-1882
3 1/2 Reg	156	151	129	6" Hammer	22-1584
4 1/2 Reg	152	142	128	140 mm Pipe	22-1085
4 1/2 Reg	168	161	140	159 mm Pipe	22-1283
4 1/2 Reg	188	180	162	178 mm Pipe	22-1586
4 1/2 Reg	203	196	178	194 mm Pipe	22-1585
4 1/2 Reg	203	198	168	8" Hammer	22-1587
4 1/2 Reg	229	223	204	219 mm Pipe	22-1284

We also have other dimensions, threads, lengths and loads. Please contact us for more info.

Fishing Tools

2-STEP FISHING OVERSHOT



Thread Pin	OD (mm)	OD 2/OD 3 (mm)	OD 4/OD 5 (mm)	Product No.
#21	79	26/44	66/79	22-1495
#24	102	26/44	78/102	22-1465
2 3/8 Reg	89	26/44	78/89	22-1041
3 1/2 Reg	114	34/59	76/114	22-1042
LT 425	133	56/90	110/133	22-1423

MULTI-STEP FISHING OVERSHOT (For eX-Flow® 76 and DTH BIT 115mm)



Thread Pin	OD	OD 2/OD 3	OD 4/OD 5	Product No.
2 3 /8 Reg	110-114	(109-113)/102	76/47	22-1489
Part number 22-1489 incl. 1pcs of sleeve 22-1490				
CHANGEBLE SLEEVES FOR ABOVE OVERSHOT 22-1489				
114	113	102		22-1490
112	110	102		22-1491
110	109	102		22-1492

We also have other dimensions, threads, lengths and loads. Please contact us for more info.

Fishing Tools

1-STEP FISHING SPEARS

Thread Pin	OD (mm)	OD 2 (mm)	OD 3 (mm)	Product No.
2 3/8 MAY JR DQ	73	31	73	22-1294
2 3/8 Reg	89	26	89	22-1319
3 1/2 Reg	114	35	114	22-1582
3 1/2 reg	150	51	150	22-1131
4 1/2 Reg	219	136	219	22-1282
6 5/8 Reg	215	63	215	22-1341

FISHING MAGNETS



Thread Pin	OD (mm)	Max Load (kg)	Product No.
3 1/2 Reg	114	200	22-1375

We also have other dimensions, threads, lengths and loads. Please contact us for more info.

Lifting Slings

Pipe OD (mm)	Pipe Lenght (mm)	Max 750 kg Product No.	Max 1 500 kg Product No.
89	3	22-1048	
89	5	22-1810	
89	6	22-1049	
102	5	22-1809	
102	6	22-1808	
114	3	22-1050	22-1052
114	5	22-1811	
114	6	22-1051	
127	3		22-1062
127	5		22-505871
127	6	22-1807	22-1053
140	3	22-1812	22-1075
140	6		22-1054
159	3		22-1066
159	6		22-1074
168	6		22-1380
200	3		22-1076
200	6		22-1055

For Odex/ Tubex	Casing Lenght (m)	Casing OD (mm)	Max 750 kg Product No.
90	3	114	22-1077
115	3	140	22-1056
140	3	168	22-1057
165	3	194	22-1058
190	3	219	22-1059
215	3	254	22-1060
240	3	273	22-1061
240	6	273	22-1082
280	3	324	22-1078
365	3	406	22-1079

We also have other dimensions, lengths, special, etc. Please contact us for more info.

Deck Bushings

1-PIECE DECK BUSHING

Pipe Size (mm)	OTD 1 (mm)	OD 2 (mm)	Drill Rig (mm)	Weight (kg)	Product No.
All Deck Bushings are on request					

2-PIECE DECK BUSHING

Pipe Size (mm)	OTD 1 (mm)	OD 2 (mm)	Drill Rig (mm)	Weight (kg)	Product No.
All Deck Bushings are on request					

ROLLER DECK BUSHING



Pipe Size (mm)	OTD 1 (mm)	OD 2 (mm)	Drill Rig (mm)	Weight (kg)	Product No.
All Deck Bushings are on request					

We also have other designs, etc. Please contact us for more info.

Bit Baskets/Break out Plates

BIT BASKET

Pipe Size (mm)	OD (mm)	Drill Rig (mm)	Weight (kg)	Product No.
All Bit Baskets are on request				

BREAK OUT PLATE



Pipe Size (mm)	OD (mm)	Drill Rig (mm)	Weight (kg)	Product No.
All Break Out Plate are on request				

We also have other designs, etc. Please contact us for more info.

K700

Hydraulic Packer



Item	Description	Quantity	Product No.
	K 700, Basic Unit Recommended range of work 105-254 mm Connection 1" Box thread upwards		18-1001
1	Safety Cable Set	1	12-1206
2	Hydraulic Hose	1	Accessories
3	Nipple	1	56-1017
4	Stone Collector	1	18-1205
5	O-Ring 64.5x3	2	56-1010
	Support Ring 65-70	1	56-1051
6	Gable	1	18-1204
7	O-Ring 59,2x5,7	3	56-1011
	Support Ring 60-70	1	56-1052
8	O-Ring 38x4	3	56-1012
9	Piston OD 70 mm	1	18-1200
10	Cylinder	1	18-1203
11	Stripper 38/48x7/10	1	56-1008
12	Piston Extension	1	18-1202
13	Stripper Holder	1	18-1207
14	Stripper 70/80x7/10	1	56-1009
15	Piston Rod OD 38x25 mm	1	18-1201
16	End Nut Open	1	18-1208
17	Screw M8x16	1	56-1034

We also have other dimensions, lengths, etc. Please contact us for more info.

K700D

Hydraulic Packer



Item	Description	Quantity	Product No.
	K 700D, Basic Unit Recommended range of work 105-254 mm Connection 1" Box thread upwards	1	18-1002
	SPARE PARTS FOR 18-1002		
1	Packer K700	1	18-1001
2	Distance Tube	1	18-1234
3	Connection Box	1	18-1221
4	Piston Rod Extension	1	18-1220
5	End Nut Closed	1	18-1224

We also have other dimensions, lengths, etc. Please contact us for more info.

ACCESSORIES – K700/K700D

Hydraulic Packer

Description	Product No.	Product No.
Hole Dia.	Expanding Seal (4pc)	End Washer (2pc)
105 mm	18-1030	18-1070
115 mm	18-1031	18-1071
130 mm	18-1032	18-1072
140 mm	18-1033	18-1073
156 mm	18-1034	18-1074
165 mm	18-1035	18-1075
203 mm	18-1042	18-1081
254 mm	18-1043	18-1237
HYDRAULIC HOSE		
30 m		18-1090
40 m		18-1094
50 m		18-1089
70 m		18-1096
100 m		18-1095
Hydraulic Oil , 1 liter		18-1093
Hydraulic Pump compl.		18-1091
Repair Kit For Hydraulic Pump		18-1101
Valve Unit compl. Max pressure 315 bar		18-1092
Repair Kit K700, K700D		18-1100

We also have other dimensions, lengths, etc. Please contact us for more info.

SW Pipes and Accessories for Packers

Description	S/S (kg)	Stainless Steel Product No.	Aluminium Product No.
SW PIPES			
SW 25	2 000	18-1130	
SW 38	1 000	18-1118	
SW 38	1 500	18-1119	
SW 38	3 000	18-1120	18-1128
SW ADAPTERS			
SW 25 B x 1" P		18-1131	
1" B x SW 25 P		18-1132	
SW 38 B x 1" B		18-1129	
SW 38 B x 1" P		18-1121	
SW 38 B x 1 1/2" P		18-1123	
1" B x SW 38 P		18-1122	
1 1/4" B x SW 38 P		18-9718438259	
SW ACCESSORIES			
SW 38 O-ring		18-1136	18-1136

DRICOPRO™

Thread Grease

Description	Weight (kg)	Product No.
DRICOPRO™ KIT NM-TC 4.5KG	4,5	56-1837
DRICOPRO™ KIT NM-TC 20KG	20	56-1838

We also have other dimensions, threads, lengths, etc. Please contact us for more info.

Specialised and standard products are available for DTH, ROTARY and RC drilling methods.
For all types of drill rigs, in all locations.

Contact us for more information:
www.driconeq.com

© Driconeq 2020